


PUMPSPY[®] CONTRACTOR SETUP 1




You will need the customer's WiFi network name and password!

- On your Apple/Android device, go to Wi-Fi settings and connect to the PumpSpy Wi-Fi network
- If your device warns you that there is no internet connection available, that is normal. Stay connected to the PumpSpy Wi-Fi network.
- Some Android devices will request that you sign in to the PumpSpy network. In this event, click the sign in notification. When you reach the PumpSpy Provisioning page, select options (3 dots) at upper right, then select "Use this network as is"



- Once successfully connected, open a web browser on your Apple/Android device
- Enter the following address:
10.10.115.1/config/scan_page_outer.html
- Select customer's Wi-Fi network from the displayed list of available networks

PUMPSPY[®] CONTRACTOR SETUP 2



- Enter customer's network password
- The screen will go dark and a message will be displayed. Close your browser.
- The PumpSpy device's Wi-Fi indicator will turn red for several seconds, then green once successfully connected to PumpSpy servers. If it stays red after 60 seconds, start over.



The customer can now complete the setup at their convenience.

- The customer should use the purple PumpSpy app to
 - Create an account
 - Create a Location
- If the Wi-Fi indicator is green, customer should open the PumpSpy app and select
 - **Settings > Connect Device Manually**
- Enter the PumpSpy device's 15-digit serial number and press "Submit"